

Physical Therapy Prescription – Femoral Condyle Cartilage Restoration and Osteotomy

Name: _____ Date of Surgery: _____

Procedure: R / L knee femoral condyle _____

Frequency: 2-3 times	s per week	for 6 weeks
----------------------	------------	-------------

PHASE I (Weeks 0 - 6): Period of protection, decrease edema, activate quadriceps

- Weightbearing: Heel-touch weight-bearing with crutches
- Hinged Knee Brace:
 - Week 0-1: Locked in full extension for ambulation and sleeping (remove for CPM and PT)
 - Weeks 2-6: Unlock brace as quad control improved; discontinue when able to perform SLR without extension lag
- Range of Motion: Continuous Passive Motion (CPM) machine for 6-8 hours/day
 - CPM Protocol: 1 cycle per minute starting 0-40°, advance 5-10°/day (goal is 100° by week 6)
 PROM/AAROM with PT assistance
- **Therapeutic Exercises:** patellar mobs, quad/hamstring sets, calf pumps, passive leg hangs to 90°, heel slides, straight-leg raises with brace in full extension until quad strength prevents extension lag
- **Modalities:** Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase II (Weeks 6 – 8)

- Weightbearing: Partial (25%)
- Hinged Knee Brace: None
- Range of Motion: Progress to full, painless AROM
- Therapeutic Exercises: Continue Phase I, add stationary bike
- **Modalities:** Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase III (Weeks 8 - 12)

- Weightbearing: Progress to full
- Range of Motion: Full, painless
- **Therapeutic Exercises**: Advance Phase II, begin closed chain exercises (wall sits, shuttle, mini-squats, toe-raises), begin unilateral stance activities and balance training
- Modalities: Per therapist, including electrical stimulation, ultrasound, heat (before), ice (after)

Phase IV (Weeks 12 - 24)

• Advance Phase III exercises; focus on core/glutes; advance to elliptical, bike, and pool as tolerated

Phase V (>6 months): Gradual return to athletic activity

- Encourage maintenance program
- Return to sport-specific activity and impact when cleared by MD at 8-9 months postop